

Detailed Specification Requirement

Contact Information

Budget

Company Name	Division
First Name	Last Name
E-mail Address	Web Site
Office Phone	Fax
Address	
City	State / Province
Zip	Country
Project Overview	
Code Name	
Overview	

Launch Date

Computer

_			1-					
Type □ Office	□ Industrial		RA	Туре		Size		
Size		Interface	□ ATA	□ SCSI	RPM	□ 5400	□ 7200	□ 10000
Network								
I/O								
Free Slots								
Other								

Output

Primary Display Type		□ CRT	□ Plasma	□ Othe	er	Size		Resolution	
Format					Orientation				
☐ Standard	[4:3]	idescreen	[16:9]		\square Landscape		Portrait		
Secondary Disp	olay Type								
Туре	□ TFT LCD	□ CRT	□ Plasma	□ Othe	er	Size		Resolution	
Printing									
□ Color □	Thermal Plasm	ıa □ Imp	act 🗆 Braill	e 🗆 Pho	oto 🗆 Receipt	□ Letter	□ Ticket	□ Pre-Pay	□ Photo ID
Audio					Loud Speakers				
□ Stereo	□ Mono	□ Suri	round		□ Yes	□ No			
Handset									
□ Yes	□ No								

Input

Touch Screen	□ Yes	□ No					
Type	Move	□ Desistive Mon	abrono 🗆 No	or Field	□ Conoc	sitis co	□ Infrared
☐ Acoustic \	vvave	☐ Resistive Men	ibrane une	ar Field Other Features	☐ Capad	citive	□ Infrared
□ Standard		☐ Impact Resista	ant	□ Pen Too		□ Other	
		·			•		
	□ Yes	□ No					
Grade ☐ Commerc	ial	□ Dunnad	□ O: O:				
	iai	□ Rugged	□ On Screen Em	lulation			
Layout □ U.S.		□ U.K.	□ French	□ German		□ Other	
Track Ball				Keypad			
☐ Stainless	Steel	□ Phenolic	□ None	Layout		Key C	ount
Feedback							
□ Tactile		□ Audible	☐ On Touch Scre	en Emulation	1		
Buttons							
Graphics		Illumination					
Video / Imaging							
	Туре		Resolution			Frame	Rate
Photo Camera	_						
	Type		Resolution			Frame	Rate
Flatbed Scanne				Audio			
Size	}	Resolu	ition [☐ Microph	one	☐ Hands	et
Card Reader		□ Continu		□ Mataria	مدالم مطام		
Туре		□ Swipe	□ Insertion	□ Motorize	ed insertion		
Cards		□ Magstripe ⊤	racks □1 □2 □3	□ Chip		□ Barcoo	de 🗆 RFID
Scanners and S		rcode Scanner		Motion Detector	or / Proximity	Sensor	
☐ Product L	abels.	□ Receipts	☐ Tickets				
Biometric							
☐ Finger		□ Hand	□ Voice	□ Iris	□ Reti	na □ Ot	her
Alarm				Telemetric			
User Expos	ed I/O an	d Connectivity					
CD / DVD				Memory Card	D d		
□ Reader		□ Writer		□ SmartDi		Compact Fla	sh ☐ Memory Stick
USB		VV III(O)		FireWire		- Compact i la	on a women out
□ Full-Spee	d	☐ Hi-Speed		□ 400		□ 800	
IrDA	-	5,550		Bluetooth			
□ Yes		□ No		□ Yes		□ No	
Network Interfac	ce			Serial Port			
□ Ethernet							

Software

os □ Windows	□ Linux	□ Unix			
	□ LITIUX				
Web Browser					
□ Secure	☐ Standard	□ Customize	ed 🗆 Branded		
Custom Application			Reports, Statistics an	d Logs	
Remote Management			E-Commerce / Payme	nt Solution	
Security / Encryption			Database		
Media Players			1		
☐ QuickTime	□ Real	□ Windows Media	a □ Branded		
Codec					
Network					
Туре			Link		
☐ Internet	□ Intranet	□ Extranet	□ Satellite	□ Terrestrial	□ Wireless Mesh
Required Bandwidth			Required Latency		
Firewall			Encryption		
□ Hardware	□ Software		☐ Hardware	□ Software	
- Harawaro			_ naraware		
Standards and Re	gulations				
Regulation					
Compliance					
Military Specification					

Hardware Specifications

Telephony ☐ Voice over IP	□ ISDN	□ POTS	□ Other		
UPS		Darda wa Timo			
☐ Yes	□ No	Back-up Time			
Other					
Enclosure					
Location □ Indoors	□ Outdoors	□ Public Location	☐ Secure Loca	ation	
Model		- I ubile Location		<u></u>	
☐ Identity	□ Dual Identity	☐ Compact Identity	□ Photo Identi	ity	
Finish				,	
□ Powder Coat	□ Brushed	□ Anodized	☐ Hybrid	☐ Stainless	
Other					
Service					
Service					
Installation					
☐ End User		KioskMaster		☐ Third party	
Maintenance					
□ End User		KioskMaster		☐ Third party	
Monitoring	Г	1 V: ack Mactor		Third north	
☐ End User Support		KioskMaster		☐ Third party	
□ End User		KioskMaster		☐ Third party	
Response Time	_	- Triconiviacio.			
☐ 4 Hours		24 Hours		□ Next Business Day	